

1 A night bus runs from 21 50 to 05 18 the next day.



Work out the number of hours and minutes that the night bus runs.

..... h min [1]

2 Calculate $\sqrt{5.76} + 2.8^3$.




..... [1]

3 Simplify $4m + 7k - m + 3k$.



..... [2]

4



The diagram shows the net of a cuboid with its base shaded.
The length of the cuboid is 10 cm, its width is 4 cm and its height is 5 cm.

Write down the values of each of a , b , c and d .

$a = \dots\dots\dots$, $b = \dots\dots\dots$, $c = \dots\dots\dots$, $d = \dots\dots\dots$ [4]

5 There are 20 cars in a car park and 3 of the cars are blue.



(a) James wants to draw a pie chart to show this information.

Find the angle of the sector for the blue cars in this pie chart.


..... [2]

(b) One of the 20 cars is picked at random.

Find the probability that this car is **not** blue.

..... [1]

6



Write \vec{AB} as a column vector.

$$\vec{AB} = \begin{pmatrix} \\ \end{pmatrix} [1]$$

7 As the temperature increases, the number of people who go swimming increases.



Write down the type of correlation that this statement describes.

..... [1]

8 (a) The n th term of a sequence is $n^2 - 3$.



Find the first three terms of this sequence.

.....,, [2]

(b) These are the first five terms of a different sequence.

1 3 9 27 81

Find the n th term of this sequence.

..... [2]


9 The line $y = 2x - 5$ intersects the line $y = 3$ at the point P .



Find the coordinates of the point P .

(.....,) [2]

10



NOT TO SCALE

The diagram shows a trapezium $PQRS$.

Calculate the area of the trapezium.

..... cm^2 [2]

11 Without using a calculator, work out $1\frac{1}{4} - \frac{5}{6}$.



You must show all your working and give your answer as a fraction in its simplest form.

..... [3]

12 Farid spins a three-sided spinner with sides labelled A , B and C .



The probability that the spinner lands on C is 0.35 .

Farid spins the spinner 40 times.

Calculate the number of times he expects the spinner to land on C .

..... [1]

13 The bearing of B from A is 107° .



Calculate the bearing of A from B .


..... [2]

14 A train, 1750 metres long, is travelling at 55 km/h.



Calculate how long it will take for the whole train to completely cross a bridge that is 480 metres long. Give your answer in seconds, correct to the nearest second.

..... s [3]



(a) Describe fully the **single** transformation that maps

(i) triangle *A* onto triangle *B*

.....
 [2]

(ii) triangle *A* onto triangle *C*.

.....
 [3]

(b) Draw the image of triangle *A* after a rotation, 90° clockwise, about $(1, 3)$. [2]


16 x is an integer.



$$\mathcal{E} = \{x : 1 \leq x \leq 10\}$$

$$P = \{x : x \text{ is an even number}\}$$

$$Q = \{x : x \text{ is a multiple of } 5\}$$



Complete the Venn diagram.

[2]

17 The height of each of 200 people is measured.



The table shows the results.

Height (h cm)	$100 < h \leq 120$	$120 < h \leq 130$	$130 < h \leq 150$	$150 < h \leq 190$
Frequency	32	55	64	49

Calculate an estimate of the mean height.

..... cm [4]

18 Find the highest common factor (HCF) of $28x^5$ and $98x^3$.



..... [2]

19




The speed–time graph shows information about a bus journey.

Calculate the total distance travelled by the bus.

..... m [3]

20



Calculate the area of triangle ABC .

..... cm^2 [2]

21 (a) $\sqrt[5]{3} = 3^h$



Write down the value of h .

$h = \dots\dots\dots$ [1]

(b) Simplify $(4x^3)^3$.

$\dots\dots\dots$ [2]

22 y is inversely proportional to the square of $(x + 3)$.




When $x = 5$, $y = 0.375$.

Find y in terms of x .

$y = \dots\dots\dots$ [2]

23 (a) On the axes, sketch the graph of $y = \cos x$, for $0^\circ \leq x \leq 360^\circ$.

K



[2]

(b) Solve the equation $\cos x = 0.294$ for $0^\circ \leq x \leq 360^\circ$.

$x = \dots\dots\dots$ or $x = \dots\dots\dots$ [2]

24 $x^2 - 16x + a$ can be written in the form $(x + b)^2$.

K

Find the value of a and the value of b .

$a = \dots\dots\dots$

$b = \dots\dots\dots$ [2]

- 25 A bag contains 2 green buttons, 5 red buttons and 6 blue buttons.
Two buttons are taken at random from the bag without replacement.

R

Calculate the probability that the two buttons are different colours.

..... [4]

- 26 A is the point $(6, 1)$ and B is the point $(2, 7)$.

R

Find the equation of the perpendicular bisector of AB .
Give your answer in the form $y = mx + c$.

$y =$ [5]