

Cambridge Lower Secondary Checkpoint

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS

0862/02

Paper 2

October 2023

1 hour

You must answer on the question paper.

You will need: Geometrical instruments
Tracing paper (optional)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should show all your working in the booklet.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has **16** pages.

- 1 Draw a ring around the sum of the exterior angles of an equilateral triangle.



120°

180°

360°

900°

[1]

- 2 Draw a ring around the unit that would be most suitable for measuring the mass of a ship.



light year

megabyte

microgram

tonne

[1]

- 3 Mia says, 'y is 3 more than x squared'.



Write down a formula for y in terms of x.

y = [1]

- 4 Here are the first five terms of a sequence.



11, 14, 19, 26, 35


Find the next two terms in the sequence.

..... and [2]

5 Here is the net of a triangular prism.



It is formed from three rectangles and two right-angled triangles.




Tick (✓) to show if each of these facts about the faces of the triangular prism is true or false.

	True	False
Three faces have the same area.	<input type="checkbox"/>	<input type="checkbox"/>
The area of the largest face is 72 cm^2 .	<input type="checkbox"/>	<input type="checkbox"/>

[1]

6 Point A has coordinates $(1, 2)$.




Point A is first translated by vector $\begin{pmatrix} 3 \\ 1 \end{pmatrix}$ to give point B .

Point B is then translated by vector $\begin{pmatrix} 0 \\ -5 \end{pmatrix}$ to give point C .


Find the coordinates of point C .

(..... ,) [2]

7 Pencils can be bought in small packets or large packets.



small packet has 3 pencils



large packet has 5 pencils

Mike buys m small packets and n large packets.
Altogether he buys 86 pencils.

Draw a ring around the equation that represents this situation.

$$3m + 5n = 86$$

$$m + n = 86$$



$$8(m + n) = 86$$

$$5m + 3n = 86$$

[1]

- 8 The graphs show the costs, in \$, of different masses of strawberries and raspberries.

K



Find how much more 1 kg of raspberries costs than 1 kg of strawberries.

\$ [2]

- 9 It will take 5 workers 12 days to harvest some apples.

K

Calculate how many workers are needed to harvest these apples in 4 days.

..... [1]

10 Complete each statement to make it true.



$$\frac{8}{4x} = \frac{\boxed{}}{x}$$

$$y^{11} \times \boxed{} = y^{12}$$

$$(\boxed{})^2 = w^{10}$$

[3]

11 A train company says the probability that a train arrives at a station on time is 0.85



Ahmed selects a random sample of 80 trains arriving at this station.

Calculate the expected number of these trains that will arrive at this station on time.

..... [1]

12 (a) Draw lines to match the equivalent inequalities.



$$x - 1 > 2$$

$$x > 1$$

$$2x > 2$$

$$x > 2$$

$$\frac{x}{2} > 1$$

$$x > 3$$

[1]

(b) Solve the inequality.

$$11 - 2x \leq 20$$

..... [2]

13 Here are the coordinates of four points.



$A(4, -6)$

$B(-4, 5)$

$C(-3, -2)$

$D(-3, 2)$

Tick (✓) to show if the midpoint of each line segment is above, on or below the x -axis.

Line segment	Above x -axis	On x -axis	Below x -axis
AB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CD	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

[1]

14 When 80 is increased by $a\%$ the result is between 105 and 110




a is a multiple of 4

Find a possible value of a .

$a = \dots\dots\dots$ [1]

15 The grid shows the positions of triangle P and triangle Q.



(a) Describe fully the **single** transformation that maps triangle P onto triangle Q.

.....

.....

[3]

(b) Triangle R is congruent to triangle P.

Triangle R maps onto itself when it is reflected in the line $y = x$.


Draw a possible position for triangle R on the grid.

[1]

- 16 The diagram shows two circles, each with centre O .



NOT TO
SCALE



Show that the circumference of the larger circle is approximately 44 cm more than the circumference of the smaller circle.

[2]

17 The table shows information about the ages of 100 runners.

R

Age (A , years)	Frequency
$20 \leq A < 30$	34
$30 \leq A < 40$	18
$40 \leq A < 50$	28
$50 \leq A < 60$	20

Calculate an estimate of the mean age of these runners.

..... years [3]

18 A teacher asks three students to state the equations of two lines with a **positive** gradient.

R

Tick (✓) to show if each student's answer is correct.

Answer is correct

Chen
 $y = x + 8$ $y = 2x - 3$

☐

Eva
 $y = 4 - x$ $y = 7 - 2x$


☐

Lily
 $y = 3x$ $y = \frac{1}{2}x$

☐

[1]

- 19 A shape is formed from
 a right-angled triangle ABC
 and
 a semicircle with diameter CB .



$$AC = CB = 6 \text{ cm.}$$


- (a) Find the area of the whole shape.


..... cm^2 [3]

- (b) Calculate the length of AB .

..... cm [2]

20 Anastasia asks the audience of a film if they liked it or did not like it.

 The compound bar chart shows her results.



Show that 30% of people in the audience **did not like** the film.

[2]

21 (a) The distance between two cities is 17 000 km correct to the nearest 1000 km.



Complete the inequality to show the limits of the distance.

$$16\,500\text{ km} \leq \text{distance} < \dots\dots\dots \text{ km}$$


[1]

(b) The mass of a bag is 1.00 kg correct to 2 decimal places.

Find the lower limit of the mass.

$$\dots\dots\dots \text{ kg} \quad [1]$$

22 A solid cylinder has a height of 18 cm.



NOT TO
SCALE

18 cm

The curved surface area of the cylinder is 845 cm^2 .

Find the area of the top of the cylinder.

$$\dots\dots\dots \text{ cm}^2 \quad [3]$$

23 Find the values of the integers a and b when



$$(x - 5)(x + 5) + ax = (x - 3)(x + 12) + b$$

$$a = \dots\dots\dots$$


$$b = \dots\dots\dots$$

[3]

- 24 Rajiv has a bag containing only red counters and blue counters.
 7 Safia has a different bag containing only red counters and blue counters.
 They each take one counter at random from their bag.

The probability that Rajiv picks a red counter from his bag is 0.6

The probability that they **both** pick a red counter is 0.18



Find the probability that they both pick a **blue** counter.
 You may use the tree diagram to help you.

..... [4]